

A CHECKLIST OF CADDISFLIES (TRICHOPTERA) FROM MASSACHUSETTS¹

Richard J. Neves²

ABSTRACT: Collections of adult Trichoptera were made in the Connecticut and Hoosic River Basins, western Massachusetts, between 1974 and 1978. Of the 157 species collected, 88 represent new records for the state. A complete checklist of previously published and newly recorded species is presented, totaling 189 species.

Initial records of caddisflies from Massachusetts were first assembled by Banks (1892), who later added several species to the state list. These early collections were made primarily in the eastern part of the state, while Betten (1934) and Flint (1960) provided additional collection records for western Massachusetts. Other reported species are scattered throughout the literature, and much of the early species nomenclature has undergone change and synonymy. A current and more complete list of species is therefore needed.

From 1974 to 1978, I collected Trichoptera by light-trapping and sweep-netting along aquatic habitats in the Connecticut and Hoosic River Basins, Franklin, Hampshire, and northern Berkshire County, Massachusetts (Fig. 1). The 31 sampling sites in the study area represented diverse habitats to more completely sample the caddisfly fauna (Table 1). Most collecting sites in Franklin and Hampshire County were light-trapped at least twice, early and late summer. From 84 light-trap and 40 sweep-net collections during the 5-yr. period, approximately 40,000 adults were captured and identified. Species identifications were based on adult male specimens; all Trichoptera were preserved in 70% isopropanol and are in the author's collection. Light-trap collections of Hydroptilidae have not yet been examined.

Checklist of Species

The list below contains 157 species collected during this survey with month(s) and site(s) of capture. Additional species will undoubtedly be reported as more extensive sampling occurs in other counties of the state. New records are indicated by an asterisk (*); 32 species not collected during this survey but previously reported from Massachusetts are included with

¹Received April 27, 1979.

²Virginia Cooperative Fishery Research Unit, Department of Fisheries and Wildlife Sciences, Virginia Polytechnic Institute and State University, Blacksburg, Virginia 24061.

reference citation. Species not figured in Ross (1944) are followed by a reference to an illustration of the male genitalia. The classification scheme follows that of Wiggins (1977), and species and genera within families are arranged alphabetically.

Rhyacophilidae

- Rhyacophila acutiloba* Morse and Ross; Morse and Ross, 1971. May, June; (3,16,20,21).
R. atrata Banks; Ross, 1938a. May, June; (3,8,16,20).
R. carolina Banks; Schmid, 1970. June to October; (3,4,5,8,11,16,18,19,20,21).
R. carpenteri Milne; Schmid, 1970. Milne 1936.
R. fuscula (Walker). May to September; (2,3,5,8,9,16,18,19,21).
R. glaberrima Ulmer. July, August; (13,16,20,21).
R. invaria (Walker); Schmid, 1970. June, July; (19,20,21).
**R. melita* Ross; Ross, 1938b. May, June; (20).
R. minor Banks; Ross, 1956 (as *minora*). May, June; (8,16,20).
R. nigrita Banks; Schmid, 1970. May, June; (20,21,28).
R. torva Hagen; Schmid, 1970. Denning 1948b.
R. vibox Milne, June; (19).
**R. vuphipes* Milne; Schmid, 1970. August; (2)

Glossosomatidae

- Agapetus iridis* Ross. June; (13,18)
**A. pinatus* Ross; Ross, 1938b. June to August; (16,18,20,21).
A. rossi Denning; Leonard and Leonard, 1949. June; (10,13).
**Glossosoma lividum* (Hagen); Ross, 1956. July, August; (2,16,20).
**G. nigrior* Banks; Denning, 1942 (as *Eomystra unica*). April to October; (3,10,16,17,18,20,21).
**Protoptila maculata* (Hagen). June to August; (1,2,6,7,8,10,15).
**P. palina* Ross. August; (7)

Hydroptilidae

- Agraylea multipunctata* Curtis. June to September; (1,3,6,8,15,17,18,22,24).
**Dibusa angata* Ross. June; (16,20).
**Orthotrichia aegerfasciella* (Chambers); Ross, 1944 (as *americana*). July; (25).

Philopotamidae

- **Chimarra aterrima* Hagen. June to August; (3,7,8,13,14,16,18,19,20,24,31).
**C. obscura* (Walker). June to September; (2,3,6,7,10,11,12,13,14,16,18,23,24).
**C. socia* Hagen. June to August; (16,20).
**Dolophilodes distinctus* (Walker); Ross, 1944 (as *trentonius*). January to December; (2,3,4,5,6,7,8,10,12,14,16,17,18,19,20,21,24).
**Wormaldia moesta* (Banks); Ross, 1944 (as *Dolophilus*). May to July; (20).

Psychomyiidae

- **Lype diversa* (Banks). June to August; (7,18,20,31).
**Psychomyia nomada* (Ross). June to September; (2,3,7,8,10,17,18,20).

Polycentropodidae

- **Cernotina spicata* Ross. July; (20).
- **Neureclipsis crepuscularis* (Walker). June to August; (2,20,21).
- N. timesis* Denning. Denning 1948c.
- Nyctiophylax affinis* (Banks); Morse, 1972. June to August; (10,11,18,20,23).
- N. moestus* Banks; Ross, 1944 (as *vestitus*). June, July; (7,18,19).
- Phylocentropus hansonii* Root. Root 1965.
- **P. lucidus* (Hagen). May to August; (5,12,13,18,20,25).
- **P. placidus* (Banks). June to August; (7,8,11,12,18,20,23).
- **Polycentropus albipunctus* (Banks); Ross, 1938a. June to August; (18,20).
- **P. aureolus* (Banks). June; (11).
- P. cinereus* Hagen. June to August; (3,4,5,6,7,8,9,12,16,18,20,21,24).
- P. clinei* (Milne); Denning, 1956. Milne 1936.
- **P. confusus* Hagen. June to August; (3,4,7,9,18,20).
- P. crassicornis* Walker. June, July; (13.,18,19).
- **P. elarus* Ross. June, July; (4,5,8,19,25).
- **P. flavus* Banks. June, July; (8,9).
- P. grellus* (Milne); Ross, 1938b. Milne 1936.
- **P. iculus* Ross; Ross, 1941a. June to August; (1920).
- P. interruptus* (Banks). June, July; (3,8,9,16,18,20,23).
- **P. maculatus* Banks. June to August; (5,7,19,20,25).
- **P. pixi* Ross. June; (20).
- **P. remotus* Banks. June to August; (5,7,17,18,20).

Hydropsychidae

- **Aphropsyche doringa* (Milne); Ross, 1944 (as *aprilis*). June; (19).
- **Cheumatopsyche campyla* Ross. June to August; (1,3,6,7,8,10,12,16,18,20,21,22,24).
- **C. gracilis* (Banks); Gordon, 1974. June, July; (3,9,12,13,14,20,21).
- C. halima* Denning; Gordon, 1974. June to August; (4,8,12,13,14,16,18,19,20,21,24,25).
- **C. minuscula* (Banks). June, July; (18,20,21,23).
- C. pasella* Ross. May to August; (1,2,3,4,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,-23, 25).
- C. petitti* (Banks); Ross, 1944 (as *analis*). June to September; (2,3,7,8,10,12,13,14,16,18, 20,21,26,31).
- C. pinaca* Ross; Gordon, 1974. June to August; (3,8,13,14,16,18,19,20,21,24).
- **C. wrighti* Ross; Gordon, 1974. June, July; (20).
- Diplectrona modesta* Banks. July, August; (4,5,7,8,12,16,18,20).
- **Hydropsyche betteni* Ross. June to August; (3,12,16,17,18,20,26,29,31).
- **H. bronta* Ross. June to August; (3,12,16,17,18,20,26,30).
- H. impula* Denning 1948a.
- **H. morosa* Hagen. June to August; (2,3,6,8,9,12,16,18,20,21,26)
- **H. phalerata* Hagen. June to August; (1,2,3,6,8,10,12,13,15,18,23).
- **H. recurvata* Banks. May to July; (6,20).
- **H. riola* Denning; Denning. 1942. May, June; (20)
- **H. slossonae* Banks. June to October; (3,8,16,20,21).
- **H. sparna* Ross. May to October; (1,2,3,4,5,7,8,9,10,12,13,14,15,16,18,19,20,24).
- **H. ventura* Ross; Ross, 1941a. June; (8,20).
- **H. walkeri* Betten and Moseley. June, July; (2,20).
- **Macronema zebratum* (Hagen). June to August; (2,6,10).
- Parapsyche apicalis* (Banks); Milne and Milne, 1938. May, June; (12,20).

Phryganeidae

- Agrypnia glacialis* Hagen, Johnson 1930.
A. vestita (Walker), July, August; (10,16,20).
Banksiola calva Banks; Wiggins, 1956. Banks 1943.
B. concatenata (Walker); Wiggins, 1956. June; (12)
B. crotchi Banks; Ross, 1944 (as *selina*). June to August; (7,10,12,18,19,20,24).
B. dossieria (Say); Wiggins, 1956. June to August; (4,5,9,13,16,18,19,20,23).
B. smithi Banks; Wiggins, 1956. Banks 1951.
Oligostomis ocelligera (Walker). Betten 1934.
O. pardalis (Walker); Ross, 1944 (as *Eubasilissa*). Wiggins 1977.
Phryganea cinera Walker. Betten 1934.
P. sayi Milne. June to August; (10,18)
Ptilostomis angustipennis (Hagen). Betten 1934.
P. ocellifera (Walker). June to August; (3,6,7,8,9,12,13,17,18,19,24).
P. postica (Walker). August; (11).
P. semifasciata (Say). June to August; (7,13,16,18,20).

Brachycentridae

- Brachycentrus numerosus* (Say). Flint 1966.
**Micrasema charonis* Banks. June to August; (18,20).
M. rusticum (Hagen). Denning 1948c.
**M. sprulesi* Ross, 1941a. May; (20).
**M. wataga* Ross. June; (18).

Sericostomatidae

- Agarodes distincta* Ulmer; Ross and Scott, 1974. June; (23).
A. grisea Banks. June; (13,18,19).

Odontoceridae

- Psilotreta hansonii* Denning; Denning, 1948c. June; (8).
**P. frontalis* Banks. June, July; (5,12,20).
**P. labida* Ross. May, June; (20).

Molannidae

- **Molanna blenda* Sibley, June, July; (8,13,19,20).
**M. musetta* Betten. June to September; (20).
**M. trypheana* Betten. June, July; (16,20).
**M. uniphila* Vorhies. August; (31).

Helicopsychidae

- **Helicopsyche borealis* (Hagen). June to August; (2,16,17,20,21).

Calamoceratidae

- **Heteroplectron americanum* (Walker); Betten, 1934 (as *Ganonema nigrum*). June; (16,20).

Leptoceridae

- **Ceraclea ancylos* (Vorhies); Ross, 1944 (as *Athripsodes*). June, July; (20).
- **C. cancellata* (Betten); Ross, 1944 (as *Athripsodes*). June; (6,9,12,16,20,21).
- **C. excisa* (Morton); Morse, 1975. June; (20).
- **C. maculata* (Banks); Ross, 1944 (as *Athripsodes transversus*). June to August; (1,3,6,7,8,10,15,17,18,23,24).
- C. ruthae* (Flint); Morse, 1975. June to August; (3,4,9,18,20).
- **C. tarsipunctata* (Vorhies); Ross, 1944 (as *Athripsodes*). June to August; (1,3,4,6,7,8,10,11,12,15,16,17,18,19,20,21,23,24).
- **C. transversa* (Hagen); Ross, 1944 (as *Arthripsodes angustus*). June to August; (18,20,21).
- **Leptocerus americanus* (Banks). July; (7,16,20).
- Mystacides longicornis* (Linnaeus). Yamamoto and Wiggins 1964.
- M. sepulchralis* (Walker). June to September; (2,16,18,20,21,24).
- Nectopsyche albida* (Walker); Betten and Mosley, 1940. Haddock 1977.
- N. pavida* (Hagen); Ross, (as *Leptocella*). July; (18).
- **Oecetis avara* (Banks). June to August; (1,2,7,8,10,11,13,14,15,19,20,22).
- O. cinerascens* (Hagen). June to September; (1,2,3,7,11,12,15,16,20,21,22,23).
- **O. ditissa* Ross; Ross, 1966. August; (3,7,18).
- O. inconspicua* (Walker). June to September; (1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,18,19,22,23,24,25).
- O. osteni* Milne. June to September; (7,11,20,23).
- **O. persimilis* (Banks). June to September; (2,3,4,6,7,8,10,13,16,18,20).
- **Setodes incerta* (Walker). July, August; (16,20).
- Triaenodes aba* Milne. Ross 1944.
- T. ignita* (Walker). June, July; (18,20).
- **T. inflexa* Morse; Morse, 1971. July to September; (20)
- **T. injusta* (Hagen). June to August; (10,18).
- **T. marginata* Sibley. June, July; (13,20).
- **T. nox* Ross; Ross, 1941a. June to August; (18,20).
- **T. tarda* Milne. June, August; (7).

Lepidostomatidae

- Lepidostoma americanum* (Banks); Ross, 1946. July, August; (7,18,20).
- **L. bryanti* (Banks); Leonard and Leonard, 1949. June; (8,13,19,20).
- L. costalis* (Banks); Ross, 1946. August, September; (20).
- L. frosti* (Milne); Ross, 1946. July, August; (8,19,20).
- L. griseum* (Banks); Ross, 1946. Flint and Wiggins 1961.
- **L. latipennis* (Banks); Ross, 1946. August, September; (20,21).
- **L. lydia* Ross; Ross, 1939. June; (8,19).
- **L. ontario* Ross; Ross, 1941a. June; (13,20).
- L. prominens* (Banks); Ross, 1938a. Denning 1949.
- L. reosa* Denning; Denning, 1954. June; (20).
- L. sackeni* (Banks); Flint and Wiggins 1961.
- L. sommermanae* Ross. Flint and Wiggins 1961.
- L. swannanoa* Ross; Ross, 1939. April to June; (2,3,19,20,21).
- **L. togatum* (Hagen); Betten, 1934. June to August; (3,20).
- L. vernalis* (Banks). Flint and Wiggins, 1961. May to August; (13,20).

Limnephilidae

- Anabolia bimaculata* (Walker); Ross, 1944 (as *Limnephilus*). July, August; (16,19,20).
 **A. consocia* (Walker); Ross, 1944 (as *Limnephilus*). August; (18).
 **A. sordida* Hagen; Ross, 1944 (as *Limnephilus*). June to August; (13,27).
 **Apatania incerta* (Banks); Ross, 1938a (as *Apatelia*). April, May; (20,21).
Asynarchus montanus Banks; Banks, 1920 (as *Anabolia curta*). Banks 1920.
Frenesia difficilis (Walker); Betten and Mosely, 1940. November; (16,20).
F. missa (Milne). November; (20).
Glypophysche irrorata (Fabricius). May; (20).
Goera calcarata Banks; Ross, 1947. June to August; (4,18,20,21).
G. fuscula Banks; Ross, 1947. Flint 1960.
G. stylata Ross. June; (8).
Hydatophylax argus (Harris); Betten, 1934. June; (3,16,20).
Iroquoia parvula (Banks); Schmid, 1951. Flint 1958.
I. punctatissima (Walker). August, September; (16,18,20).
Lenarchus crassus Banks; Ross and Merkley, 1952. Banks 1920.
Limnephilus indivisus Walker. June to August; (2,12,20).
 **L. moestus* Banks. June, July; (6,9,13,14,16,20).
L. ornatus Banks. Ross 1944.
 **L. rhombicus* (Linnaeus). August; (13).
L. sericeus (Say). August, September; (13,20).
L. submonilifer Walker. June to September; (8).
Nemotaulius hostilis (Hagen); Betten, 1934 (as *Glyphotaelius*). June to August; (8,11,20).
Neophylax concinnus McLachlan; Ross, 1944 (as *autumnus*). September; (20,21).
N. consimilis Betten; Betten, 1934. August to October; (16,20).
 **N. fuscus* Banks. September, October; (20).
N. nacatus Denning; Denning, 1941. Denning 1948c.
 **N. oligius* Ross; Ross, 1938b. August, September; (20).
 **Onocosmoecus quadrinotatus* (Banks); Banks, 1943 (as *Dicosmoecus*). September; (20).
Platycentrus indistinctus (Walker); Betten, 1934. Banks 1943.
P. radiatus (Say). June to September; (7,16,18,19,20,23).
 **Pseudostenophylax sparsus* (Banks); Ross, 1944 (as *Drusinus virginicus*). June to August (8,9,12,13,19,20).
P. uniformis (Betten); Ross, 1944 (as *Drusinus*). June, July; (12,13,19).
Pycnopsyche aglona Ross; Betten, 1950. Ross 1941b.
P. circularis (Provancher); Betten, 1950. September; (20).
P. divergens (Walker); Betten, 1950. August; (13).
P. gentilis (McLachlan); Betten, 1950. August to October; (3,13,16,20).
P. guttifer (Walker). August to October; (3,7,16,18,20,21,24).
 **P. lepida* (Hagen). July to September; (16,18,20).
 **P. limbata* (McLachlan); Betten, 1950. September; (20).
P. luceulenta (Betten). August, September; (16,20).
P. scabripennis (Rambur); Betten, 1950. July to September; (2,3,6,7,8,13,16,18,20,21).
P. subfasciata (Say). Betten 1950.

Table 1. List of sampling sites and their location in the study area.

	Franklin County	Hampshire County (Cont.)
1	Connecticut River, Sunderland and Whately.	16 West Branch, Westfield River, Huntington.
2	Deerfield River, Deerfield and Greenfield.	17 Mill River, Amherst and Hadley.
3	Sawmill River, Leverett.	18 Cushman Brook, Amherst.
4	Spaulding Brook, Leverett.	19 Amethyst Brook, Pelham.
5	Roaring Brook, Leverett.	20 Factory Brook, Middlefield.
6	Sugarloaf Brook, South Deerfield	21 Walker Brook, Chester
7	Atkins Reservoir, Shutesbury.	22 Lake Warner, Hadley.
8	Sunderland Reservoir, Sunderland	23 Arcadia Lake, Belchertown.
9	Lake Wyola, Shutesbury	24 Factory Hollow Pond, Amherst.
10	Cranberry Pond, Sunderland	25 Echo Hill Pond, Amherst.
11	Leverett Pond, Leverett.	
12	North Mountain Road Pond, Sunderland.	
13	Sunderland Hatchery, Sunderland	
14	Mohawk Brook, Sunderland	
	Hampshire County	Berkshire County
15	Connecticut River, Northampton and Hatfield.	26 Green River, Hancock.
		27 Notch Brook, North Adams.
		28 Anonymous brook, Savoy.
		29 Bogastow Brook, Millis.
		30 Mauserts Pond, Williamstown.
		31 Bog Pond, Savoy.




Fig. 1. Location of sampling stations for Trichoptera in western Massachusetts.

ACKNOWLEDGEMENTS

I am indebted to Dr. O.S. Flint, Jr., Smithsonian Institution for confirming many of the species identifications and Dr. J.C. Morse, Clemson University, for reviewing the manuscript. Field assistance was provided by Dan Wade, Kirby Gilmore, Fran Stone, and Larry Enoch. The Massachusetts and Virginia Cooperative Fishery Research Units provided laboratory space and facilities.

LITERATURE CITED

- Banks, N. 1892. A synopsis, catalogue, and bibliography of the neuropteroid insects of temperate North America. *Trans. Am. Entomol. Soc.* 19:327-373.
_____. 1920. New neuropteroid insects. *Harv. Mus. Comp. Zool. Bull.* 64:297-362.
_____. 1943. Notes and descriptions of Nearctic Trichoptera. *Harv. Mus. Comp. Zool. Bull.* 92:341-369.
_____. 1951. Notes on some New England Phryganeidae (Trichoptera). *Psyche* 58:20-23.
Betten, C. 1934. The caddis flies or Trichoptera of New York state. *N.Y. State Mus. Bull.* 292:1-576.
_____. 1950. The genus *Pycnopsyche* (Trichoptera). *Ann. Entomol. Soc. Am.* 43:508-522.
_____. and M.E. Moseley. 1940. The Francis Walker types of Trichoptera in the British Museum. British Museum, London. 248 pp.
Denning, D.G. 1941. Descriptions and notes of new and little known species of Trichoptera. *Ann. Entomol. Soc. Am.* 34:195-203.
_____. 1942. Description of new Trichoptera from the U.S. *Can. Entomol.* 74:46-51.
_____. 1948a. New species of Trichoptera. *Ann. Entomol. Soc. Am.* 41:397-401.
_____. 1948b. A review of the Rhyacophilidae (Trichoptera). *Can. Entomol.* 80:97-117.
_____. 1948c. Descriptions of eight new species of Trichoptera. *Bull. Brooklyn Entomol. Soc.* 43:119-129.
_____. 1949. New and little known species of caddis flies. *Am. Midl. Nat.* 42:112-122.
_____. 1954. New species of *Lepidostoma*. *Pan-Pac. Entomol.* 30:187-194.
_____. 1956. Several new species of western Trichoptera. *Pan-Pac. Entomol.* 32:73-80.
Flint, O.S., Jr. 1958. The larva and terrestrial pupa of *Ironquia parvula* (Trichoptera, Limnephilidae). *J. N.Y. Entomol. Soc.* 66:59-62.
_____. 1960. Taxonomy and biology of Nearctic limnephilid larvae (Trichoptera), with special reference to species in eastern United States. *Entomol. Am.* 40:1-120.
_____. 1966. Notes on certain Nearctic Trichoptera in the Museum of Comparative Zoology. *Proc. U.S. Nat. Mus.* 118:373-389.
_____. and G.B. Wiggins. 1961. Records and descriptions of North American species in the genus *Lepidostoma*, with a revision of the *vernalis* group (Trichoptera: Lepidostomatidae). *Can. Entomol.* 93:279-297.
Gordon, A.E. 1974. A synopsis and phylogenetic outline of the Nearctic members of *Cheumatopsyche*. *Proc. Acad. Nat. Sci. Phila.* 126:117-160.
Haddock, J.D. 1977. The biosystematics of the caddis fly genus *Nectopsyche* in North America with emphasis on the aquatic stage. *Am. Midl. Nat.* 98:382-421.
Johnson, C.W. 1930. A list of the insect fauna of Nantucket, Massachusetts. *Nantucket Mitchell Assoc.* 3:70.

- Leonard, J.W., and F.A. Leonard. 1949. Noteworthy records of caddis flies from Michigan, with descriptions of new species. *Occas. Pap. Mus. Zool. Univ. Mich.* 520:1-8.
- Milne, L.J. 1936. Studies in North American Trichoptera. Part 3:56-128.
- _____, and M.J. Milne. 1938. The Arctopsychidae of continental America north of Mexico (Trichoptera). *Bull. Brooklyn Entomol. Soc.* 33:97-110.
- Morse, J.C. 1971. New caddisflies (Trichoptera) from the southeastern United States. *J. Ga. Entomol. Soc.* 6:77-84.
- _____. 1972. The genus *Nyctiophylax* in North America. *J. Kansas Entomol. Soc.* 45:172-181.
- _____. 1975. A phylogeny and revision of the caddisfly genus *Ceraclea* (Trichoptera, Leptoceridae). *Contrib. Am. Entomol. Inst.* 11:1-97.
- _____, and H.H. Ross. 1971. Two new species of *Rhyacophila* from eastern North America. *J. Kansas Entomol. Soc.* 44:403-405.
- Root, D.W. 1965. A new northeastern caddisfly species of the genus *Phylocentropus* (Trichoptera: Psychomyiidae). *Bull. Brooklyn Entomol. Soc.* 59:85-87.
- Ross, H.H. 1938a. Lectotypes of North American caddis flies in the Museum of Comparative Zoology. *Psyche* 45:1-61.
- _____. 1938b. Descriptions of Nearctic caddis flies (Trichoptera) with special reference to the Illinois species. *Ill. Nat. Hist. Surv. Bull.* 21(4):101-183.
- _____. 1939. New species of Trichoptera from the Appalachian Region. *Proc. Wash. Entomol. Soc.* 41:65-72.
- _____. 1941a. Descriptions and records of North American Trichoptera. *Trans. Am. Entomol. Soc.* 67:35-126.
- _____. 1941b. New species of Trichoptera from Canada and northern United States. *Can. Entomol.* 73:15-19.
- _____. 1944. The caddis flies, or Trichoptera, of Illinois. *Ill. Nat. Hist. Surv. Bull.* 23(1):1-326.
- _____. 1946. A review of the Nearctic Lepidostomatidae (Trichoptera). *Ann. Entomol. Soc. Am.* 39:265-291.
- _____. 1947. Descriptions and records of North American Trichoptera, with synoptic notes. *Trans. Am. Entomol. Soc.* 73:125-168.
- _____. 1956. Evolution and classification of the mountain caddisflies. *Univ. Illinois Press, Urbana.* 213 pp.
- _____, _____. 1966. Two new species of *Oecetis* occurring in eastern North America (Trichoptera, Leptoceridae). *Trans. Ill. Acad. Sci.* 59:11-14.
- _____, and D.R. Merkley. 1952. An annotated key to the Nearctic males of *Limnephilus* (Trichoptera, Limnephilidae). *Am. Midl. Nat.* 47:435-455.
- _____, and D.C. Scott. 1974. A review of the caddisfly genus *Agarodes*, with descriptions of new species (Trichoptera: Sericostomatidae). *J. Ga. Entomol. Soc.* 9:147-155.
- Schmid, F. 1951. Le genre *Iroquoia* Bks. (Trichopt. Limnophilid.) *Mitt. Schweiz. Entomol. Ges.* 24:317-328.
- _____. 1970. Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera). *Mem. Entomol. Soc. Can.* 66:1-230.
- Wiggins, G.B. 1956. A revision of the North American caddisfly genus *Banksiola* (Trichoptera: Phryganeidae). *Contrib. Roy. Ont. Mus. Zool. Palaeont.* 43:1-12.
- _____. 1977. Larvae of the North American caddisfly genera (Trichoptera). *Univ. Toronto Press, Toronto.* 401 pp.
- Yamamoto, T., and G.B. Wiggins. 1964. A comparative study of the North American species in the caddisfly genus *Mystacides* (Trichoptera: Leptoceridae). *Can. J. Zool.* 42:1105-1126.